

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



BSF WS+ SealMax NEUTRAL WEATHER SEALANT

Version 1 Date of compilation: 06/05/2026

Page 1 of 5

Version 1 (Replaces version -)

Revision date: 06/05/2026

Print date: 06/05/2026

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product Identifier.

Product Name: **BSF WS+ SealMax Neutral Weather Sealant**

Product Code: 110444

1.2 Relevant identified uses of the substance or mixture and uses advised against.

SEALANT

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **BSF-Bond | Seal | Fill**

Address: Camino de Sierra, 34

PO Box: 67

Province: Alicante (España)

E-mail: info@bsfintl.com

Web: www.bsfintl.com

1.3 Emergency telephone number: (Only available during office hours: Monday - Friday; 08:00 - 18:00)

2. HAZARDS IDENTIFICATION

Classification : N/A

Signal Word Pictogram

Hazard Statements : N/A

Precautionary Statements

Response : N/A

Prevention Use only outdoors or in a well-ventilated area

Storage : N/A

Disposal : N/A

Ingredients of unknown toxicity 0% Hazards not Otherwise Classified

GHS Classification Not a hazardous substance or mixture. GHS Label Element Not a hazardous substance or mixture. Other hazards None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight %
Amorphous fumed silica	112945-52-5	5-10
Hydroxy-terminated Dimethyl siloxane	70131-67-8	42-50
Dimethylpolysiloxane	63148-62-9	10-20
Methyl Oximino Silane	22984-54-9	2-6
Calcium carbonate	471-34-1	30-40

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



BOND | SEAL | FILL

BSF WS+ SealMax NEUTRAL WEATHER SEALANT

Version 1 Date of compilation: 06/05/2026

Page 1 of 5

Version 1 (Replaces version -)

Revision date: 06/05/2026

Print date: 06/05/2026

4. FIRST AID MEASURES

General advice: Provide this SDS to medical personnel for treatment.

Inhalation: If symptoms are experienced remove source of contamination or move victim to fresh air. If irritation persists, obtain medical advice.

Eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes while holding the eyelid(s) open. Obtain medical attention.

Ingestion: Rinse mouth thoroughly with water. If irritation or discomfort occurs, obtain medical advice.

Skin contact: No health effects expected. If irritation does occur, flush with lukewarm, gently flowing water for minutes. If irritation persists, obtain medical advice. Most Important Symptoms and Effects, both Acute and Delayed. Symptoms Causes skin irritation. May cause nose & respiratory tract irritation. Direct contact with eyes may cause temporary irritation.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media Extinguishing media:

Small fire : Use carbon dioxide, dry chemical or water spray

Large Fire : Use dry chemical, foam or water spray

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorized personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up GHS Label Element Not a hazardous substance or mixture. Other hazards None known.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Store in original containers between +5°C and +25°C. Storage outside these parameters will dramatically reduce shelf life and invalidates all product warranties.

Suitable packaging: Must only be kept in original packaging.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



BOND | SEAL | FILL

BSF WS+ SealMax NEUTRAL WEATHER SEALANT

Version 1 Date of compilation: 06/05/2026

Page 1 of 5

Version 1 (Replaces version -)

Revision date: 06/05/2026

Print date: 06/05/2026

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Workplace exposure limits: Respirable dust

State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 10ppm (acetic acid) 15ppm (acetic acid)

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141) must be worn if vapour concentrations above OES or if ventilation is poor.

Hand protection: Protective gloves.

Eye protection: Safety glasses.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties State: Paste

Colour: Various

Odour: Irritating Odour

Evaporation rate: Moderate

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: Highly viscous

Boiling point/range °C: N/D

Flash point °C: >70

Specific gravity: 1.20 ± 0.02

pH: N/A

9.2. Other information: Not applicable.

10. STABILITY AND REACTIVITY

10.1. Chemical stability

Chemical stability : Stable under normal conditions.

10.2. Possibility of hazardous reactions

10.3. Conditions to avoid

Conditions to avoid: Heat. Moist air. Humidity.

10.4. Incompatible materials

Materials to avoid : Strong oxidizing agents. Strong acids.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



BOND | SEAL | FILL

BSF WS+ SealMax NEUTRAL WEATHER SEALANT

Version 1 Date of compilation: 06/05/2026

Page 1 of 5

Version 1 (Replaces version -)

Revision date: 06/05/2026

Print date: 06/05/2026

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bio accumulative potential: No data available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal operations: Dispose of according to local or national legislation.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

DOT: Not dangerous goods

IATA: Not dangerous goods

IMDG: Not dangerous goods

Special precautions for user: No data available

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. OTHER INFORMATION

Complete text of the H phrases that appear in section 3:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Complete text of the EUH phrases that appear in section 3:

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)



BSF WS+ SealMax NEUTRAL WEATHER SEALANT

Version 1 Date of compilation: 06/05/2026

Version 1 (Replaces version -)

Revision date: 06/05/2026

Page 1 of 5

Print date: 06/05/2026

EUH071 Corrosive to the respiratory tract.

Classification codes:

Acute Tox. 2 : Acute toxicity (Inhalation), Category 2
Acute Tox. 4 : Acute toxicity (Oral), Category 4
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1
Asp. Tox. 1 : Aspiration toxicity, Category 1
Eye Dam. 1 : Serious eye damage, Category 1
Skin Corr. 1C : Skin Corrosive, Category 1C
Skin Sens. 1A : Skin sensitiser, Category 1A

Changes regarding to the previous version:

- Addition of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Changes in the composition of the product (SECTION 3.2).
- Changes in the composition of the product (SECTION 3.2).
- Change in the hazard classification (SECTION 11.1).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is recommended that the product only be employed for the purposes advised.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.
EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>
<http://echa.europa.eu/>
Regulation (EU) 2020/878.
Regulation (EC) No 1907/2006.
Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.